

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|------------------------------|------------------|---------|------------------|
| S1 | 2 | ((("6785641") or ("6516293"))).PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/20 11:37 |
| S2 | 67 | (int or (interactive network technology)).as. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 11:41 |
| S3 | 0 | (interactive and network and technology).as. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 11:41 |
| S4 | 7 | (interactive and network).as. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/22 17:12 |
| S5 | 1 | geotoolkit | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 11:43 |
| S6 | 22 | (interactive near2 network near2 technology) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 11:51 |
| S7 | 0 | wellschematic | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 11:51 |
| S8 | 477 | well schematic | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 11:53 |
| S9 | 727 | scalable vector graphics | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 11:53 |
| S10 | 0 | scalable vector graphics and bha | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 11:53 |
| S11 | 727 | scalable vector graphics | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 11:54 |
| S12 | 128 | scalable vector graphics and pars\$3 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 12:05 |
| S13 | 2 | rockware.as. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 12:05 |
| S14 | 18 | rockware | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 12:09 |
| S15 | 71 | landmark.as. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 14:35 |

EAST Search History

| | | | | | | |
|-----|-----|--|------------------------------|-----|-----|------------------|
| S16 | 624 | ((scalable near3 vector near3 graphic) or svg) and (drill or borehole or bha or assembly) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 14:36 |
| S17 | 26 | ((scalable near3 vector near3 graphic) or svg) same (drill or borehole or bha or assembly) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 14:38 |
| S18 | 68 | ((vector near3 graphic) or svg) same (drill or borehole or bha or assembly) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2006/09/20 14:38 |
| S19 | 1 | ("6785641").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/09/22 17:13 |


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used vector graphics library scaling

Found 87,735 of 185,178

Sort results by

Display results


[Save results to a Binder](#)

[Search Tips](#)
☐ Open results in a new window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 41 - 60 of 200

 Result page: [previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

 41 [Status report of the graphic standards planning committee](#)


Computer Graphics staff

 August 1979 **ACM SIGGRAPH Computer Graphics**, Volume 13 Issue 3

Publisher: ACM Press

 Full text available: pdf(15.01 MB) Additional Information: [full citation](#), [references](#), [citations](#)

 42 [GEMM-based level 3 BLAS: high-performance model implementations and performance evaluation benchmark](#)


Bo Kågström, Per Ling, Charles van Loan

 September 1998 **ACM Transactions on Mathematical Software (TOMS)**, Volume 24 Issue 3

Publisher: ACM Press

 Full text available: pdf(487.36 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

The level 3 Basic Linear Algebra Subprograms (BLAS) are designed to perform various matrix multiply and triangular system solving computations. Due to the complex hardware organization of advanced computer architectures the development of optimal level 3 BLAS code is costly and time consuming. However, it is possible to develop a portable and high-performance level 3 BLAS library mainly relying on a highly optimized GEMM, the routine for the general matrix multiply and add operation. With s ...

Keywords: GEMM-based level 3 BLAS, blocked algorithms, matrix-matrix kernels, memory hierarchy, parallelization, vectorization

 43 [Column: Primitive functions for graphics in APL](#)


D. S. Galbraith

 April 1976 **ACM SIGAPL APL Quote Quad**, Volume 7 Issue 1

Publisher: ACM Press

 Full text available: pdf(389.88 KB) Additional Information: [full citation](#), [citations](#)

 44 [Lapped textures](#)


Emil Praun, Adam Finkelstein, Hugues Hoppe

 July 2000 **Proceedings of the 27th annual conference on Computer graphics and**